

ILUMINARC

Sense. Sight. Soul.


ILUMINARC

Iluminarc inspires and empowers architects, designers and system integrators to visually enhance man-made and natural environments through the artistic use of energy efficient lighting. To that end, we develop viable technologies, luminaires and control systems that solve installation challenges and facilitate the execution, operation and maintenance of remarkable and efficient lighting projects. Thank you for considering Iluminarc for your current and future projects.

EXTERIOR SOLUTIONS

- COLORIST POD..... 137
- COLORIST LINE 138
- COLORIST PANEL 139

IALDLIRC



Eiffel Tower
Paris, France

Illumipod IP



Drai's Beach Club
Las Vegas

Colorist Pod 180A



Shown with removable ground spike.

| | |
|--------------------------|--|
| Source | 1 (10 W) Quad-color RGBA LEDs, 50,000 hours |
| Beam Angle | 13° |
| Field Angle | 24° |
| Illuminance | 225 lux @ 5 m |
| Lumens | 229 |
| Control Channels | DMX: 1, 4, 5, 6, 7 or 10 |
| RDM Functions | Address, Personality, Temperature Monitor |
| Dimensions | 174 x 104 x 163 mm |
| Weight | 1.6 kg |
| Certification | CE, MET |
| Environment | IP65, wet location |
| Optional Cables | IP5 Power, and IP5 Sig extension cables (See page 131) |
| Remote Addressing | CHAUVET Professional RDM2go (See page 129) |

COLORIST POD 10a



| | |
|-------------------------|--|
| Source | 7 (15 W) Quad-color RGBA LEDs, 50,000 hours |
| Beam Angle | 16° |
| Field Angle | 27° |
| Illuminance | 880 lux @ 5 m |
| Lumens | 1,176 |
| Control Channels | DMX: 4, 6 or 10 |
| Dimensions | 260 x 130 x 265 mm |
| Weight | 4.9 kg |
| Certification | CE, MET |
| Environment | IP65, wet location |
| Optional Cables | IP5 Power, and IP5 Sig extension cables (See page 131) |

COLORIST POD 70a



| | |
|-------------------------|--|
| Source | 18 (15 W) Quad-color RGBA LEDs, 50,000 hours |
| Beam Angle | 16° |
| Field Angle | 27° |
| Illuminance | 2,232 lux @ 5 m |
| Lumens | 2,854 |
| Control Channels | DMX: 4, 6 or 10 |
| Dimensions | 140 x 337 x 337 mm |
| Weight | 6.8 kg |
| Certification | CE, MET |
| Environment | IP65, wet location |
| Optional Cables | IP5 Power, and IP5 Sig extension cables (See page 131) |

COLORIST POD 180a

| | |
|-------------------------|--|
| Source | 6 (15 W) Quad-color RGBA LEDs, 50,000 hours |
| Beam Angle | 16° |
| Field Angle | 27° |
| Illuminance | 781 lux @ 5 m |
| Lumens | 948 |
| Control Channels | DMX: 4, 6, 10, 24 or 29 |
| Dimensions | 7.9 x 19.5 x 7.4 in (200 x 495 x 188 mm) |
| Weight | 11.8 lb (5.4 kg) |
| Certification | CE, MET |
| Environment | IP65, wet location |
| Optional Cables | IP5 Power, and IP5 Sig extension cables (See page 131) |

COLORIST LINE 6Qa



| | |
|-------------------------|--|
| Source | 12 (15 W) Quad-color RGBA LEDs, 50,000 hours |
| Beam Angle | 16° |
| Field Angle | 27° |
| Illuminance | 1,382 lux @ 5 m |
| Lumens | 1,811 |
| Control Channels | DMX: 4, 6, 10, 48 or 53 |
| Dimensions | 7.9 x 39 x 7.4 in (200 x 990 x 188 mm) |
| Weight | 19.6 lb (8.9 kg) |
| Certification | CE, MET |
| Environment | IP65, wet location |
| Optional Cables | IP5 Power, and IP5 Sig extension cables (See page 131) |

COLORIST LINE 12Qa



| | |
|-------------------------|--|
| Source | 8 (15 W) Quad-color RGBA LEDs, 50,000 hours |
| Beam Angle | 16° |
| Field Angle | 27° |
| Illuminance | 1,005 lux @ 5 m |
| Lumens | 1,242 |
| Control Channels | DMX: 4, 6 or 10 |
| Dimensions | 114 x 322 x 235 mm |
| Weight | 5.3 kg |
| Certification | CE, MET |
| Environment | IP65, wet location |
| Optional Cables | IP5 Power, and IP5 Sig extension cables (See page 131) |

COLORIST PANEL 8Qa

| | |
|-------------------------|--|
| Source | 36 (15 W) Quad-color RGBA LEDs, 50,000 hours |
| Beam Angle | 16° |
| Field Angle | 27° |
| Illuminance | 5,070 lux @ 5 m |
| Lumens | 5,206 |
| Control Channels | DMX: 4, 6 or 10 |
| Dimensions | 230 x 593 x 338 mm |
| Weight | z16.6 kg |
| Certification | CE, MET |
| Environment | IP65, wet location |
| Optional Cables | IP5 Power, and IP5 Sig extension cables (See page 131) |

COLORIST PANEL 36Qa



ILUMINARC

Sense. Sight. Soul.

STAY CONNECTED



